



ATTACHMENT A

PRICING SCHEDULE - BREAKDOWN OF QUOTATION SUM

Instructions: The format and information on this form is to be used to submit a breakdown of costs for each individual Treatment ID. Light blue cells are required to be completed for each treatment you wish to quote on, you **do not** have to quote on every treatment to be competitive, leave the cell blank.

Completion Month: You are required to submit the month in which the works for each individual treatment ID will be completed.

****Click on [Treatment ID numbers](#) to view detailed maps, all works listed must be completed to the standards outlined within the Shire of Denmark Bushfire Mitigation Terminology and Standards guidelines****

Treatment ID	Treatment Type	Treatment Objective	Office Use	Office Use	Location	Amount		Completion Month (Oct-April)
						GST	Price (exl GST)	
SLASHING								
5545	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Sea Change Close			
5548	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Sheoak Drive (East Denmark)			
5549	Mechanical Works	<ul style="list-style-type: none">• Slash management zone to form a sedge layer to facilitate on going management.			Between Kernutts Road-Sheoak Drive			
5574	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Randall Road (Reserve)			
5599	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Drainage Reserve Between Iluka Avenue & Lights Road			
5628	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Ocean Beach (Fire Shed)			
5742	Fire Access Road / Track(s)	<ul style="list-style-type: none">• Slash fire access track to existing extent• Maintain a 5m vertical clearance			Thornett Cove (Reserve) 602 Ocean Beach Road			
5750	Fire Access Road / Track(s)	<ul style="list-style-type: none">• Create a low fuel access between properties, to enable emergency respondents to provide asset protection and provide safer evacuation of the subdivision.• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Bayley Street			
5804	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Tysoe Close			
5900	Mechanical Works	<ul style="list-style-type: none">• Slash fire access track to existing extent• Reconstruct built up access to trafficable surface.• Maintain a 5m vertical clearance.• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			McPherson Drive, Nornalup			
5902	Mechanical Works	<ul style="list-style-type: none">• Slash area to 100mm• Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping’s and materials to be removed from site.			Shaw Road, Nornalup (South)			

Treatment ID	Treatment Type	Treatment Objective	Office Use	Office Use	Location	Amount		Completion Month (Oct-April)
						GST	Price (exl GST)	
5934	Mechanical Works	<ul style="list-style-type: none"> Slash area to 100mm Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			Peaceful Bay (Sea Rescue)			
5946	Mechanical Works	<ul style="list-style-type: none"> Slash area to 100mm Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			Williams Road (Reserve) Peaceful Bay (Freehold)			
5947	Mechanical Works	<ul style="list-style-type: none"> Slash area to 100mm Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			Between First Avenue Peaceful Bay Road			
5975	Mechanical Works	<ul style="list-style-type: none"> Slash management zone to form a sedge layer to facilitate on going management. Slash fire access track to existing extent Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			William Bay (Fire Shed)			
5997	Mechanical Works	<ul style="list-style-type: none"> Slash area to 100mm Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			Flower Way (Reserve)			
6043	Mechanical Works	<ul style="list-style-type: none"> Slash management zone to form a sedge layer to facilitate on going management. Slash fire access track to existing extent Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			Mt Hallowell (Reserve) South Ocean Beach			
6044	Mechanical Works	<ul style="list-style-type: none"> Slash management zone to form a sedge layer to facilitate on going management. Slash fire access track to existing extent Maintain a 5m vertical clearance. 			Mt Hallowell (Reserve) North Coughlan Grove			
7920	Mechanical Works	<ul style="list-style-type: none"> Slash area to 100mm Prune area to APZ requirements remove over-hanging vegetation to 5m high, all lopping's and materials to be removed from site. 			Uniting Church			
7972	Mechanical Works	<ul style="list-style-type: none"> Slash management zone to form a sedge layer to facilitate on going management Slash fire access track to existing extent Maintain a 5m vertical clearance 			Ocean Beach Caravan Park (Southern Boundary)			
7973	Mechanical Works	<ul style="list-style-type: none"> Slash fire access track to existing extent Maintain a 5m vertical clearance. 			Lights Road (North)			
CHEMICAL								
5597	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Ocean Beach Caravan Park (Southern Boundary)			
5599	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Drainage Reserve Between Iluka Avenue & Lights Road			
5726	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Lights Road to Monkey Rock			
5797	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Uniting Church			
5802	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Between Clarke Street & Buckley Street			

Treatment ID	Treatment Type	Treatment Objective	Office Use	Office Use	Location	Amount		Completion Month (Oct-April)
						GST	Price (exl GST)	
5811	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Rail Trail Between Hollings Rd & Ocean Beach Rd			
5820	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Ti Tree Lane			
5899	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Tingledale (Fire Shed)			
5902	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Shaw Road, Nornalup (South)			
5931	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Between East Avenue & Peaceful Bay Road			
5933	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Peaceful Bay Road (Water Supply)			
5934	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Peaceful Bay (Sea Rescue)			
5946	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Williams Road (Reserve) Peaceful Bay (Freehold)			
5949	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Between First Avenue Peaceful Bay Road			
5957	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Somerset Hill (Fire Shed)			
5966	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Parry's Beach (Fishing Club)			
5975	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			William Bay (Fire Shed)			
6034	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Sheoak Drive (West)			
6041	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Mt Hallowell (Reserve) South Ocean Beach			
6044	Chemical Works	<ul style="list-style-type: none"> Remove woody & weed species from the management zone to promote a manageable low fuel zone. 			Mt Hallowell (Reserve) North Coughlan Grove			
ROADSIDE WORKS <i>**NOTE** All roadside works require traffic management this must be factored into the quoted price for works.</i>								
5550	Fire Access Road / Track(s)	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m low fuel either side. 			McIntosh Road, Hay			

Treatment ID	Treatment Type	Treatment Objective	Office Use	Office Use	Location	Amount		Completion Month (Oct-April)
						GST	Price (exl GST)	
5561	Fire Access Road / Track(s)	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m low fuel either side. 			Between Jarrah Close (East) & McIntosh Road, Hay			
5746	Fire Access Road / Track(s)	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m low fuel either side. 			Between Pember Road & Wyman Trail			
5774	Fire Access Road / Track(s)	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m low fuel either side. 			Bracknell Crescent			
5781	Mechanical Works	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m low fuel either side. 			Ridley Place Access (Little River)			
5782	Mechanical Works	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m Low fuel either side. 			Maraveen Road (Little River)			
5960	Mechanical Works	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m Low fuel either side. 			Privett Road			
5961	Mechanical Works	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m Low fuel either side. 			Byleveld Close - Privett Road			
6008	Fire Access Road / Track(s)	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m Low fuel either side. 			McLean Road			
7985	Mechanical Works	<ul style="list-style-type: none"> Create a low fuel buffer adjacent to the asset(s) by 5m vertical trim, 4m running surface and 1m Low fuel either side. 			Boat Harbour Road			